

# MILLENNIUM XXL FRONT-END LOADER



#### **SEPARATING COLLECTION AND TRANSPORT.**

First class in performance and manoeuvrability: The THS Millennium front-end loader is a single-person operation, economical answer to the requirements of commercial and industrial waste collections.



### **MADE-TO-MEASURE COST-EFFECTIVE COLLECTIONS**

By use of the Millennium XXL front-end loader the process chain for collection and transport is efficiently closed and the need for skip loaders removed.

Everything from a single source: We support you with individual, integrated and economical solutions - from planning, analysis and design to implementation, delivery and service.



Spare parts supply and service: Original spare parts are usually available within 24 hours subject to delivery wherever you are in the world.

#### **TERBERG HS MODULAR SYSTEM**

According to your requirements, we configure a vehicle that is individually tailored to your needs by combining different variants and taking the following factors into account:

Highest application flexibility on the market: Whether with a fixed container body or as a Megaline with interchangeable unit. Powerful removal: The Millennium XXL pro-

ves its its clearing qualities through different body lengths with different loading volume variants from 30 to 40 m<sup>3</sup>.

Manoeuvrable: Extreme manoeuvrability thanks to wheelbases from 3,900 mm or, in the 4-axle model (triple-axle) from 4,800 mm.

Container receptacle capacities: Flexibly selectable, specially tailored to your requirements. Maximum convenience: Smart and safe operating concept.





## **SMART EQUIPMENT - CUSTOMISED OPTIONS**



#### **COMBINATED FORK**

- The combination fork is the ideal solution for emptying FEL containers and 1,100 l flat lid MGBs
- In combination with comb also suitable for 1,100 l sliding lid



# MODEL MEGALINE WITH CONTAINER CHANGING SYSTEM

- To separate collection and transport
- According to DIN 30722
- Suitable for ACTS



# HIGH-QUALITY FEATURES AS STANDARD

- Protected cable harnesses prevent damage
- Optimised control of the pressure plate, increased performance and less contamination



#### **COMBINATED U5 FORK**

- Ideal solution for emptying FEL containers, 1,100 l flat lid MGBs and U2,5/U5 dischargeable container
- In combination with comb also suitable for 1,100 l sliding lid



#### SHORTENED REAR LID

- Creates short overhang for optimum manoeuvrability
- Ideal for heavy fractions



#### **SCREWABLE ADAPTER**

- Ideally suited for accommodating ASK skips with lids up to 10 m<sup>3</sup>
- In combination with a standard front loading fork (and only possible with fork rest on the body)



#### **ADDITIONAL WIND DEFLECTOR**

- Prevents material blowing away
- Different lid drive options available



#### **MILLENNIUM CRANE**

- Special component for emptying depositing containers or underground systems
- Tailor-made implementation of customer requirements
- Insertion slot with sliding plane




#### **UNIFORM CROSS BEAM**

- High flexibility due to screwable components
- Easy change/retrofit of container receptacles
- Cross beam offers uniform housing for load cells



### **TECHNICAL CHARACTERISTICS OF THS MILLENNIUM XXL**



sed for your application with the very

best of available technology

New rear section

from 2025



# **6 GOOD REASONS FOR THE THS MILLENNIUM XXL**



#### 1. FLEXIBILITY

- Volume options with different body lengths and rear door options: 30 m³ to 40 m³
- Container receptacle capacities from 120 l to 10 m<sup>3</sup>



#### 2. PERFORMANCE

- Single-person operation
- Payload for 3-axle up to 9 t and 4-axle up to 13 t
- Maximum volume on shortest wheelbases



#### 3. WORK SPEED

- Superb manoeuvrability due to wheelbases from 3,900 mm
- Compaction on the move
- Short cycle times
- Fast discharge



#### 4. SAFETY

- Unrestricted field of vision independent of the lifting system stow away (different versions)
- Remote control with infrared workarea protection
- Safety barrier on the roof of the superstructure
- Safety handle at the access point under the maintenance door



#### 5. COMFORT

- Convenient controls with touch screen (7 or 10 inch)
- Sensitive joystick
- Ergonomically shaped armrests
- Quiet operation



#### 6. AVAILABILITY

- Requires minimal maintenance
- Remote maintenance via Bluetooth
- Fair service contracts minimise downtime
- Original spare parts available within 24 hours
- Terberg Connect software for your fleet management



TERBERG ENVIRONMENTAL

Postbus 202, 3400AE. IJsselstein, The Netherlands

T +31 (0) 30 68 68 700, E sales@terbergenvironmental.com | www.terbergenvironmental.com

We reserve the right to carry out technical modifications. Modifications of specifications may be carried out without prior notice. Illustrations may not necessarily current equipment versions.